KAALOR

FORGED BY TIME

KAALOR

EPOCH

WATCH INSTRUCTION
BOOKLET


AZURE BLUE • FORGED BY TIME



A guide to setting, wearing and caring for your KAALOR timepiece.

01 | DISPLAY & CROWN POSITIONS

A)DISPLAY



*Date position may be located at different position depends on models.

The diagram identifies the hour hand, minute hand, second hand, date window, and crown positions. The date-window location may vary by model.

02 | BEFORE FIRST USE

- Inspect the watch and bracelet for visible damage.
- If the crown is pulled out, gently push it fully back to the normal position before wearing.
- Set the time and date using the instructions in this booklet.
- Ensure the crown is fully pushed in before water exposure. If your model has a screw-down crown, secure it according to its design.

03 | SETTING THE TIME

01	Gently pull the crown out to the **2nd position**.
02	Turn the crown to set the hour and minute hands.
03	Push the crown fully back to the normal position. The second hand should resume moving.

Tip: For precise setting, move the hands slightly forward to the desired time before pushing the crown back in.

04 | SETTING THE DATE

01 Pull the crown out to the **1st position**.

02 Turn the crown in the direction specified for your movement to advance the date.

03 When the correct date appears, push the crown fully back to the normal position.

Important: Avoid adjusting the date when the watch indicates approximately 9:00 PM to 1:00 AM. The date-change mechanism may be engaged during this period. If the date does not change as expected, do not force the crown; consult a qualified watch technician.

05 | QUARTZ TIMEKEEPING

Quartz watches are designed for convenient everyday timekeeping. If the second hand begins jumping in larger intervals or the watch stops, the battery may need replacement. Low-battery indications depend on the movement fitted to your model.

Have the battery replaced by a qualified watch technician. Ask the technician to check the case-back seal and water resistance after the watch has been opened.

06 | WATER RESISTANCE

Water resistance can be affected by impacts, worn seals, temperature changes, and improper crown closure. Confirm the rating printed on your specific watch or its product documentation.

- Do not operate the crown or pushers underwater or when wet.
- Ensure the crown is fully secured before exposure to water.
- Avoid hot water, steam, soaps, and chemicals that may affect seals.
- Do not assume the rating makes the watch suitable for every water activity.

07 | DAILY CARE

• Wipe the case and bracelet with a soft, clean cloth after wear.
• Clean only in a way suitable for the confirmed water-resistance rating, then dry thoroughly.
• Avoid prolonged contact with solvents, detergents, perfumes, cosmetics, and household chemicals.
• Protect the watch from hard knocks, drops, extreme temperatures, and strong magnetic fields.
• Store the watch in a dry, safe place when not being worn.

08 | BRACELET & FIT

The watch should sit securely and comfortably on your wrist. If the bracelet needs resizing, have the links adjusted by a professional with suitable tools to avoid scratches or damage. Keep small parts away from children.

09 | WHEN TO SEEK SERVICE

Contact a qualified watch technician if the watch stops unexpectedly, the crown becomes loose or difficult to operate, condensation appears beneath the crystal, the case or crystal is damaged, or the watch has suffered a significant impact. Do not attempt to open the case yourself.

10 | WARRANTY & SUPPORT

Keep your proof of purchase and warranty documentation in a safe place. Coverage, exclusions, and service procedures are governed by the official KAALOR warranty terms supplied with your watch or published on the official website.

Before printing, confirm the exact movement calibre, date-setting direction, and water-resistance rating for the specific model. Specifications may vary between models.

KAALOR

FORGED BY TIME

For product-specific assistance, please use the support details published on the official KAALOR website.